



Corrigendum

Corrigendum to ‘evaluation of the diagnostic performance of 18F-NaF positron emission tomography/computed tomography in patients with suspected ankylosing spondylitis according to the assessment of SpondyloArthritis International Society criteria’ by Seung Min Son et al’ [The Spine Journal 20/9 (2020) 1471-1479]

Seung Min Son, PhD^{a,‡}, Keunyoung Kim, PhD^{b,‡}, Kyoungjune Pak, PhD^b, Seong-Jang Kim, PhD^c, Tae Sik Goh, PhD^d, Jung Sub Lee, PhD^{d,*}

^a Department of Orthopaedic Surgery, Research Institute for Convergence of Biomedical Science and Technology, Pusan National University Yangsan Hospital, Yangsan, Republic of Korea

^b Department of Nuclear Medicine, BioMedical Research Institute, Pusan National University Hospital and School of Medicine, Pusan National University, Busan, Republic of Korea

^c Department of Nuclear Medicine, BioMedical Research Institute for Convergence of Biomedical Science and Technology, Pusan National University Yangsan Hospital, Yangsan, Republic of Korea

^d Department of Orthopaedic Surgery, Biomedical Research Institute, Pusan National University Hospital, Pusan National University School of Medicine, Busan, Republic of Korea

The authors regret an error in the above published, where affiliation b was incorrect in the original paper. The correct affiliations are listed above.

The authors would like to apologize for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.spinee.2020.03.011>

*Corresponding author: Department of Orthopaedic Surgery, Pusan National University School of Medicine, 179 Gudeok-ro, Seo-gu, Busan 49241, Republic of Korea. Tel.: 82-51-240-7248; fax: 82-51-247-8395.

E-mail address: jungsublee@pusan.ac.kr (J.S. Lee).

‡ These authors contributed equally to this work as first authors